


# IN-LINE VENT CHECK VALVE

Wager's In-Line Valves protect tanks and bulkheads from pressure or vacuum buildup during loading or unloading of tanks, and are used in locations where operations require an in-the-line vent check valve rather than a terminal vent valve.

The one-way ball check valve prevents the escape of tank fluids during rough seas. A fine-mesh flame screen provides protection against ignition of tank vapors in the event of a deck fire. For applications where flame protection is not required, the vent can be supplied without the screen, functioning solely as a low-pressure vertical ball check valve.



## SPECIFICATIONS

### GALVANIZED STEEL

**CONNECTIONS:**

- FLANGED
- BUTTWELD
- THREADED
- SOCKETWELD

**FLOAT:**

- STAINLESS STEEL FULL ROUND
- HDPE FLOAT

**SIZES:**

- 1.5", 2", 2.5", 3", 4", 6", 8"

### STAINLESS STEEL

**CONNECTIONS:**

- FLANGED
- BUTTWELD
- THREADED
- SOCKETWELD

**FLOAT:**

- STAINLESS STEEL FULL ROUND
- HDPE FLOAT

**SIZES:**

- 1.5", 2", 2.5", 3", 4", 6", 8"

### ANODIZED ALUMINUM

**CONNECTIONS:**

- FLANGED
- BUTTWELD
- THREADED
- SOCKETWELD

**FLOAT:**

- STAINLESS STEEL FULL ROUND
- HDPE FLOAT

**SIZES:**

- 1.5", 2", 2.5", 3", 4", 6"

### BRONZE

**CONNECTIONS:**

- FLANGED
- THREADED
- SIL-BRAZED

**FLOAT:**

- STAINLESS STEEL FULL ROUND
- HDPE FLOAT

**SIZES:**

- 1.5", 2", 2.5", 3", 4", 6"