

CERTIFICATE NUMBER18-HS1788815-1-PDA -EUMR-DEEFFECTIVE DATE25-FEB-2021EXPIRATION DATE22-OCT-2023ABS TECHNICAL OFFICEHouston ESD - Piping

CERTIFICATE OF

European Union Recognized Organization (EU RO) Mutual Recognition Design Evaluation

(in accordance with Article 10.1 of EU Regulation 391/2009)

This is to certify to the Manufacturer named below, that the Product referred to herein has been inspected for the Manufacturer, pursuant to the relevant requirements of the European Union Recognized Organization Mutual Recognition procedure, required by Article 10.1 of EU Regulation 391/2009, and has been found in accordance with those requirements.

ROBERT H. WAGER CO.

who maintains a plant at

570 Montroyal Road, Rural Hall, NC, United States 27045

Product Valve, Inverted Vent Check

Model 1700 / 1750

This certificate, by itself does not reflect that the product is Type Approved. The scope and limitations of this evaluation are detailed on the pages attached to this certificate.

When a product is presented with this EU RO MR Type Approval Certificate for given application, its acceptability with regards to the limitations stated in the certificate conditions defined in 1b, 1c and 1d of the applied Technical Requirement will be evaluated by the EU RO in charge of classing the ship or being in charge of the unit/system certification.

In accordance with Article 10 of Regulation (EC) No 391/2009 of the European Parliament and of the Council of 23 April 2009 "on common rules and standards for ship inspection and survey organizations", the following organizations, recognized by the EU on this date, have agreed on the technical and procedural conditions under which they will mutually recognize this certificate:

- American Bureau of Shipping (ABS);
- Bureau Veritas (BV);
- China Classification Society (CCS);
- Croatian Register of Shipping (CRS);
- DNV GL;



- Indian Register of Shipping (IRS);
- Korean Register (KR);
- Lloyd's Register Group Ltd. (LR);
- Nippon Kaiji Kyokai General Incorporated Foundation (ClassNK);
- Polish Register of Shipping (PRS);
- RINA Services S.p.A. (RINA);
- Russian Maritime Register of Shipping (RS).

The scheme for the mutual recognition of class certificates for materials, equipment and components laid down by Article 10(1) of Regulation (EC) No 391/2009 is only enforceable within the Union in respect of ships flying the flag of a Member State. As far as foreign vessels are concerned, the acceptance of relevant certificates remains at the discretion of relevant non-EU flag States in the exercise of their exclusive jurisdiction, notably under the United Nations Convention on the Law of the Sea (UNCLOS). (In accordance with COMMISSION IMPLEMENTING REGULATION (EU) No 1355/2014 amending Regulation (EC) No 391/2009 - recital (25)).

This EU RO Mutual Recognition Design Evaluation Certificate remains valid until 22-OCT-2023 or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

American Bureau of Shipping

ongin Lee

Yongjin Lee, Sr. Managing Principal Engineer



Product: Valve, Inverted Vent Check

Model: 1700 / 1750

Intended Service: Marine & Offshore Application - Automatic Closing Tank Vent Valves

Description: Inverted Vent Check Valves and Ballast Float Valves for Tanks

Rating: Sizes 1.5", 2", 2.5", 3", 4", 5", 6", 8", 12", 10", 14", 16"

Service Restrictions:

- Onboard ships with exceptions as per Article 5 of International Convention on Load Lines (ICLL).
- EU RO Mutual Recognition Technical Requirements for Air Pipe Automatic Closing Device apply to automatic closing devices of air pipes intended for the water tank or oil tank except cargo tank extending above the freeboard or superstructure decks", as per Reg.20 of ICLL. Flame arresting function is excluded from the scope of this requirements. If the device is fitted with a flame screen, the flame screen is subject to separate approval by the individual RO classing the vessel.
- If the device is fitted with a flame screen, the flame screen is subject to separate approval by the individual RO classing the vessel.
- Manufacturers of the approved equipment are, in principle, to mark the product before shipment for identification of approved equipment as per referenced standard. In addition, and as a minimum, the following items to be marked at the suitable place:
 - a) Manufacturer's name or logo Manufacturer's name;
 - b) Type designation;
 - c) Nominal Diameter;
 - d) Resistance coefficient;
 - e) Intended for the water tank or oil tank.

Notes/Drawing/Documentation:

Dwg No. 1.5-1700, Rev.-, Inverted Vent Check Valve - 1.5"; Dwg No. 2-1700, Rev.-, Inverted Vent Check Valve Dwg No. 2.5-1700, Rev.-, Inverted Vent Check Valve - 2.5 Dwg No. 3-1700, Rev.-, Inverted Vent Check Valve - 3 Dwg No. 4-1700, Rev.-, Inverted Vent Check Valve - 4"; Dwg No. 5-1700, Rev.-, Inverted Vent Check Valve - 5"; Dwg No. 6-1700, Rev.-, Inverted Vent Check Valve - 6 Dwg No. 8-1700, Rev.-, Inverted Vent Check Valve - 8 Dwg No. 10-1700, Rev.-, Inverted Vent Check Valve - 8 Dwg No. 10-1700, Rev.-, Inverted Vent Check Valve - 10"; Dwg No. 12-1700, Rev.-, Inverted Vent Check Valve - 14"; Dwg No. 16-1700, Rev.-, Inverted Vent Check Valve - 16"; Impact Test Reports FLT-X-SS-X, Robert H Wager Co., Inc., Date: October 2013 Tightness Test Reports X-1700-SS-001, Robert H Wager Co., Inc., Date: October 2013

Vacuum Test Reports X-1700, Robert H Wager Co., Inc., Date: October 2016 to May 2016



Rules and Standards

Technical Requirement: EU RO Mutual Recognition for Air Pipe Automatic Closing Device, Version 0.4, dated 2018-07-01

